

Tzhone, Stephen

From: Tzhone, Stephen
Sent: Wednesday, September 04, 2013 4:18 PM
To: 'Mescher, Jean A'
Cc: Moix, Mark
Subject: RE: [FWD: Results: Arkwood -- 8.23.13]

Hi Jean,

Electronic attachments received, thanks.

Stephen L. Tzhone
Superfund Remedial Project Manager
214.665.8409
tzhone.stephen@epa.gov

From: Mescher, Jean A [<mailto:Jean.Mescher@McKesson.com>]
Sent: Wednesday, September 04, 2013 9:45 AM
To: Tzhone, Stephen; Moix, Mark
Subject: FW: [FWD: Results: Arkwood -- 8.23.13]

Stephen and Mark,

Please see message below and attached analytical data for the Arkwood project: 65.4 ppb PCP at the mouth and <1.00 ppb PCP at the weir.

Jean

From: jfleur@oxfordeands.com [<mailto:jfleur@oxfordeands.com>]
Sent: Tuesday, September 03, 2013 8:50 PM
To: Mescher, Jean A
Subject: [FWD: Results: Arkwood -- 8.23.13]

Jean,

Attached are the August sample results for the Arkwood site. There are two qualifiers on the report. Anyway, the mouth sample was about three times higher than the recent results which was expected based on the high water flows from recent storms providing a significant flush of the subsurface system (much more than 35 gpm could accomplish). Despite the qualifier, I believe this result is correct. The weir sample was below detection limits.

If you have any questions, please let me know.

Best Regards,

Jim

James E. Flear
Principal Engineer
Oxford Environmental and Safety, Inc.
913-706-3422
jfleur@oxfordeands.com

----- Original Message -----

Subject: Results: Arkwood -- 8.23.13

From: "Amanda Forbush" <afortbush@arkansasanalytical.com>

Date: Tue, September 03, 2013 3:51 pm

To: "Jim Flee" <jflee@oxfordeands.com>

Thank you,
Amanda Forbush

www.arkansasanalytical.com

Business Hours: Mon-Thur - 8am-5pm, Fri - 8am-4pm

11701 Interstate 30

Bldg. 1, Ste. 115

Little Rock, AR 72209

501-455-3233

501-455-6118 (fax)

This e-mail and any attachments are confidential. If you receive this message in error or are not the intended recipient, you should not retain, distribute, disclose or use any of this information and you should destroy the e-mail and any attachments or copies.